

MELT STAND CHANDELIER



With Melt, our experiments in the technologically advanced field of vacuum metallisation take on a new twist. Melt is a distorted lighting globe born from our collaboration with Swedish radical design collective FRONT. Available in Pendant, Table, Floor and Surface light versions.

MELT GOLD STAND CHANDELIER UL

Code

MESC01G-FUSM1


Components

SC01GUL x 1

MES01G x 4

MES02G x 3

Year of Design	2016
Material	Steel and Polycarbonate
Bulb Spec	4 × E27 28W (max) and 3 × E14 25W (max). Bulb not included.
Cable Spec	250m/98.4in core black braid cable.



Process

A steel fabricated stand with blow-moulded polycarbonate shades. The shades have a semi-metallised interior that is a solid mass when off and semi-transparent when lit.

Cleaning Instructions

Clean with a soft dry cloth only. Do not use polishing agents, water or abrasive materials when cleaning. Always switch off the electricity supply before cleaning

Country of origin

Germany/China

Packaging**MELT SHADE GOLD 50 CM (MES01G)**

Height	22.44 in
Width	20.47 in
Length	20.47 in
Weight	8.37 lbs

MELT SHADE MINI GOLD (MES02G)

Height	10.23 in
Width	10.23 in
Length	10.23 in
Weight	3.74 lbs

TRIPOD STAND (SC01GUL)

Height	51.96 in
Width	10.62 in
Length	11.81 in
Weight	24.36 lbs

Product weight

Melt Shade Gold 50 cm (MES01G) 4.40 lbs
Melt Shade Mini Gold (MES02G) 2.20 lbs
Tripod Stand (SC01GUL) 14.77 lbs
Total weight: 39.02 lbs

Dimmability

Non-dimmable

Recommended LED bulb

4 X E27 Golf Ball LED
3 X E14 Golf Ball LED

Available at tomdixontrade.net

MELT



MELT FLOOR COPPER UL

<u>Product</u>	MEF01COUL
<u>Type</u>	Floor Light
<u>Material</u>	Polycarbonate/Steel
<u>Colour</u>	● Copper
<u>Bulb Spec</u>	E26 60W (max). Bulb not included.
<u>Cable Spec</u>	250cm / 98.4in clear cable, foot switch on base.

Product Height 1.24 (min) - 1.65 (max)

<u>Packaging (in)</u>	H	W	D	Weight (lb)
	40.70	20.70	36.00	30.86

Dimmability Not dimmable


Product Weight 23.61 (lb)

Process Blow Moulded Polycarbonate

Year of Design 2016

Certifications EN 60598

Requires assembly.



Cleaning Instructions: Clean with a soft dry cloth only. Do not use polishing agents, water or abrasive materials when cleaning. Always switch off the electricity supply before cleaning.

MELT SURFACE



OFF



ON



OFF



ON

With Melt, our experiments in the technologically advanced field of vacuum metallisation take on a new twist. Melt is a distorted lighting globe born from our collaboration with Swedish radical design collective FRONT. Available in Pendant, Table, Floor and Surface light versions.

MELT SURFACE UL


Code

Chrome MESS02CHUL

Gold MESS02GOUL


Year of Design 2016
Material Polycarbonate

Bulb Spec E26 60W (max). Bulb not included.
Cable Spec N/A
Dimmability Mains dimmable (depending on lamp application).
Wet Certified Wall and ceiling mounted.



MELT SURFACE


NEW



OFF



ON



OFF




ON

With Melt, our experiments in the technologically advanced field of vacuum metallisation take on a new twist. Melt is a distorted lighting globe born from our collaboration with Swedish radical design collective FRONT. Available in Pendant, Table, Floor and Surface light versions.

MELT SURFACE UL


Code
 Copper MESS02COUL
 Smoke MESS02SMUL

Year of Design	2016
Material	Polycarbonate
Bulb Spec	E26 60W (max). Bulb not included.
Cable Spec	N/A
Dimmability	Mains dimmable (depending on lamp application).
Wet Certified	Wall and ceiling mounted.



MELT SURFACE

MADE TO ORDER



OFF


ON

With Melt, our experiments in the technologically advanced field of vacuum metallisation take on a new twist. Melt is a distorted lighting globe born from our collaboration with Swedish radical design collective FRONT. Available in Pendant, Table, Floor and Surface light versions.

MELT SURFACE UL

Code
Blue MESS02BLUL

Year of Design	2016
Material	Polycarbonate
Bulb Spec	E26 60W (max). Bulb not included.
Cable Spec	N/A
Dimmability	Mains dimmable (depending on lamp application).
▲ Wet Certified	Wall and ceiling mounted.
Notes	MOQ 50 units, lead time 3 months



50/19.6"

50/19.6"

28/11"

MELT SURFACE

Process

A blow-moulded polycarbonate shade with a semi-metallised interior that is a solid mass when off and semi-transparent when lit.

Cleaning Instructions

Clean with a soft dry cloth only. Do not use polishing agents, water or abrasive materials when cleaning. Always switch off the electricity supply before cleaning.

Country of origin

Germany

Packaging

Height	15.74 in
Width	21.46 in
Length	21.46 in
Weight	7.71 lbs

Product weight

3.30 lbs

Certification

UL/Cul

Recommended LED

E26 GLS 8-11W

Available at tomdixontrade.net

MELT



OFF


ON

With Melt, our experiments in the technologically advanced field of vacuum metallisation take on a new twist. Melt is a distorted lighting globe born from our collaboration with Swedish radical design collective FRONT. Available in Pendant, Table, Floor and Surface light versions.

MELT PENDANT GOLD 50 UL

Code
MES01GUL

Year of Design	2014
Material	Polycarbonate
Bulb Spec	E26 60W (max). Bulb not included.
Cable Spec	250cm/98.4in clear cable.



Process

Formed using a technically advanced process of vacuum metallisation. The process involves vaporising a small amount of pure metal at a very high temperature and then sucking it on to a surface by applying an electrical charge.

Cleaning Instructions

Clean with a soft dry cloth only. Do not use polishing agents, water or abrasive materials when cleaning. Always switch off the electricity supply before cleaning.

Country of origin

Germany

Packaging

Height	22.83 in
Width	21.65 in
Length	21.65 in
Weight	8.81 lbs

Product weight

6.83 lbs

Dimmability

Yes

Certification

UL/cUL

Ceiling Rose Included

Yes/Gold

Requires assembly

Yes

Recommended Megaman LED bulb

E26 8-11W (max)

Available at tomdixontrade.net

MELT MINI PENDANT LED



Melt is evocative of molten glass, the interior of a melting glacier or images of deep space. An imperfect, organic and naturalistic light that produces a mesmerizing hot-blown glass effect. The Melt family is now available with a new custom-made Tom Dixon LED ring.

Year of Design	2014
Material	Polycarbonate
LED Spec	6W LED included. LED and driver replaceable via Tom Dixon.
Cable Spec	250cm/98.4in clear cable
Rating/Location	Dry



MELT MINI PENDANT CHROME 50CM LED US

Code
MES04CH-PUSM1

Components
LEDP01CHUL
MES02CH

MELT MINI PENDANT GOLD 50CM LED US

Code
MES04GO-PUSM1

Components
LEDP01GOUL
MES02G



MELT MINI PENDANT LED



Melt is evocative of molten glass, the interior of a melting glacier or images of deep space. An imperfect, organic and naturalistic light that produces a mesmerizing hot-blown glass effect. The Melt family is now available with a new custom-made Tom Dixon LED ring.

Year of Design	2014
Material	Polycarbonate
LED Spec	6W LED included. LED and driver replaceable via Tom Dixon.
Cable Spec	250cm/98.4in clear cable
Rating/Location	Dry



MELT MINI PENDANT COPPER 50CM LED US

Code
MES04CO-PUSM1

Components
LEDP01COUL
MES02CO

MELT MINI PENDANT SMOKE 50CM LED US

Code
MES04SM-PUSM1

Components
LEDP01CHUL
MES02SM



MELT MINI PENDANT LED

Process

Blow moulded polycarbonate with a semi metallised interior and injection moulded polycarbonate diffuser

Cleaning Instructions

Clean with a soft dry cloth only. Do not use polishing agents, water or abrasive materials when cleaning. Always switch off the electricity supply before cleaning.

Country of origin

Germany

Packaging

Melt Shade Mini

Height	16.54 in
Width	12.2 in
Length	12.2 in
Weight	3.75 lb

LED Small Pnt 6W Fitting US

Height	4.72 in
Width	6.69 in
Length	10.63 in
Weight	2.23 lb

Product weight

2.38 lb

Ceiling rose

Chrome and Smoke - Polished Chrome
Steel Dome 12.5cm/4.9in Ø

Gold - Polished Gold Steel Dome
12.5cm/4.9in Ø

Copper - Polished Copper Steel Dome
12.5cm/4.9in Ø

Requires assembly

Yes

Light Source Included

6W Tom Dixon LED Ring 800lm 3000K

Voltage

100-120V

MELT MINI SURFACE LED



OFF



ON



OFF



ON

Melt is evocative of molten glass, the interior of a melting glacier or images of deep space. An imperfect, organic and naturalistic light that produces a mesmerizing hot-blown glass effect. The Melt family is now available with a new custom-made Tom Dixon LED ring.

Year of Design	2018
Material	Polycarbonate
LED Spec	6W LED included. LED and driver replaceable via Tom Dixon.
Rating/Location	Dry



MELT MINI SURFACE CHROME LED US


Code
MESS04CH-WUSM1

Components
MES04CH
LEDS01CHUL

MELT MINI SURFACE GOLD LED US

Code
MESS04GO-WUSM1


Components
MES04GO
LEDS01GOUL



MELT MINI SURFACE LED




OFF



ON



OFF



ON

Melt is evocative of molten glass, the interior of a melting glacier or images of deep space. An imperfect, organic and naturalistic light that produces a mesmerizing hot-blown glass effect. The Melt family is now available with a new custom-made Tom Dixon LED ring.

Year of Design	2018
Material	Polycarbonate
LED Spec	6W LED included. LED and driver replaceable via Tom Dixon.
Rating/Location	Dry



MELT MINI SURFACE COPPER LED US


Code
MESS04CO-WUSM1

Components
MES04CO
LEDS01COUL

MELT MINI SURFACE SMOKE LED US

Code
MESS04SM-WUSM1

Components
MES04SM
LEDS01CHUL



MELT MINI SURFACE LED

Process

Blow moulded polycarbonate with a semi metallised interior and injection moulded polycarbonate diffuser

Cleaning Instructions

Clean with a soft dry cloth only. Do not use polishing agents, water or abrasive materials when cleaning. Always switch off the electricity supply before cleaning.

Country of origin

Germany

Packaging

Melt Shade Mini Surface

Height	9.45 in
Width	12.6 in
Length	12.6 in
Weight	1.98 lb

LED Small Wall 6W Fitting US

Height	5.12 in
Width	5.91 in
Length	5.91 in
Weight	1.87 lb

Product weight

2.01 lb

Requires assembly

Yes

Light Source Included

6W Tom Dixon LED Ring 800lm 3000K

Voltage

100-120V

MELT PENDANT LED



OFF



ON



OFF



ON

Melt is evocative of molten glass, the interior of a melting glacier or images of deep space. An imperfect, organic and naturalistic light that produces a mesmerizing hot-blown glass effect. The Melt family is now available with a new custom-made Tom Dixon LED ring.

Year of Design	2014
Material	Polycarbonate
LED Spec	6W LED included. LED and driver replaceable via Tom Dixon.
Cable Spec	250cm/98.4in clear cable
Rating/Location	Dry



MELT PENDANT CHROME 50CM LED US


Code
MES03CH-PUSM1

Components
MES01CH
LEDP02CHUL

MELT PENDANT GOLD 50CM LED US

Code
MES03GO-PUSM1

Components
MES01G
LEDP02GOUL



MELT PENDANT LED



OFF



ON



OFF



ON

Melt is evocative of molten glass, the interior of a melting glacier or images of deep space. An imperfect, organic and naturalistic light that produces a mesmerizing hot-blown glass effect. The Melt family is now available with a new custom-made Tom Dixon LED ring.

Year of Design	2014
Material	Polycarbonate
LED Spec	6W LED included. LED and driver replaceable via Tom Dixon.
Cable Spec	250cm/98.4in clear cable
Rating/Location	Dry



MELT PENDANT COPPER 50CM LED US


Code
MES03CO-PUSM1

Components
MES01CO
LEDP02COUL

MELT PENDANT SMOKE 50CM LED US

Code
MES03SM-PUSM1

Components
MES01SM
LEDP02CHUL



MELT PENDANT LED

Process

Blow moulded polycarbonate with a semi metallised interior and injection moulded polycarbonate diffuser

Cleaning Instructions

Clean with a soft dry cloth only. Do not use polishing agents, water or abrasive materials when cleaning. Always switch off the electricity supply before cleaning.

Country of origin

Germany

Packaging

Melt Shade 50

Height	22.44 in
Width	20.47 in
Length	20.47 in
Weight	4.41 lb

LED Lge Pnt 6W Fitting US

Height	4.72 in
Width	7.87 in
Length	12.6 in
Weight	2.93 lb

Product weight

5.33 lb

Ceiling rose

Chrome and Smoke - Polished Chrome Steel Dome 12.5cm/4.9in Ø
Gold - Polished Gold Steel Dome 12.5cm/4.9in Ø
Copper - Polished Copper Steel Dome 12.5cm/4.9in Ø

Requires assembly

Yes

Light Source Included

6W Tom Dixon LED Ring 800lm 3000K

Voltage

100-120V

MELT SURFACE LED



OFF



ON



OFF



ON

With Melt, our experiments in the technologically advanced field of vacuum metallisation take on a new twist. Melt is a distorted lighting globe born from our collaboration with Swedish radical design collective FRONT. Now available with a new custom-made Tom Dixon LED ring.

Year of Design	2016
Material	Polycarbonate
LED Spec	6W LED included. LED and driver replaceable via Tom Dixon.
Rating/Location	Dry



MELT SURFACE CHROME LED US


Code
MESS03CH-WUSM1

Components
MES03CH
LEDS02CHUL


MELT SURFACE GOLD LED US

Code
MESS03GO-WUSM1

Components
MES03GO
LEDS02GOUL



MELT SURFACE LED



OFF



ON



OFF



ON

With Melt, our experiments in the technologically advanced field of vacuum metallisation take on a new twist. Melt is a distorted lighting globe born from our collaboration with Swedish radical design collective FRONT. Now available with a new custom-made Tom Dixon LED ring.

MELT SURFACE COPPER LED US

Code
MESS03CO-WUSM1


Components
MES03CO
LEDS02COUL

MELT SURFACE SMOKE LED US

Code
MESS03SM-WUSM1

Components
MES03SM
LEDS02CHUL

Year of Design	2016
Material	Polycarbonate
LED Spec	6W LED included. LED and driver replaceable via Tom Dixon.
Rating/Location	Dry



MELT SURFACE LED

Process

Blow moulded polycarbonate with a semi metallised interior and injection moulded polycarbonate diffuser

Cleaning Instructions

Clean with a soft dry cloth only. Do not use polishing agents, water or abrasive materials when cleaning. Always switch off the electricity supply before cleaning.

Country of origin

Germany

Packaging

Melt Shade 50 Surface

Height	11.42 in
Width	21.65 in
Length	21.65 in
Weight	4.85 lb

LED Lge Wall 6W Fitting US

Height	5.91 in
Width	8.66 in
Length	8.66 in
Weight	3.52 lb

Product weight

4.17 lb

Requires assembly

Yes

Light Source Included

6W Tom Dixon LED Ring 800lm 3000K

Voltage

100-120V